



True North Analytical  
2656 Patton Road  
Roseville, MN 55113

(612) 497-9626  
https://truenorthanalytical.com  
Lic# TF-L25-000014-02-TST

Regulatory Compliance Testing

1 of 4

## Item Name: Dried Flower-XX | Blue Dream

METRC Sample: 1A4140300002199000000240; METRC Batch: 1A4140300002199000000227; METRC Manifest #: 0000390113

Initial Test

Sample ID: 2606TNA0170.0554 Produced: 03/13/2026 Client  
Strain: Blue Dream Collected: Dizgo Collective  
Matrix: Plant Received: 06/19/2026 Lic. # MICRO-L25-000366-01-AUC  
Type: Bulk Flower Completed: 07/02/2026 1512 30th St NW  
Sample Size: 39.98 g; Batch: Batch#: FG-20260313-01 Faribault, MN 55021



### Summary

| Test           | Date Tested | Result            |
|----------------|-------------|-------------------|
| Batch          |             | Pass              |
| Cannabinoids   | 06/30/2026  | Complete          |
| Moisture       | 06/29/2026  | 9.280% - Complete |
| Water Activity | 06/29/2026  | 0.623 aw - Pass   |
| Terpenes       | 06/30/2026  | Complete          |
| Microbials     | 07/01/2026  | Pass              |
| Mycotoxins     | 07/01/2026  | Pass              |
| Pesticides     | 07/01/2026  | Pass              |
| Heavy Metals   | 06/30/2026  | Pass              |
| Foreign Matter | 06/29/2026  | Pass              |

### Cannabinoids

Complete

| 18.9%     |       | ND                      |        | 22.3%              |  |
|-----------|-------|-------------------------|--------|--------------------|--|
| Total THC |       | Total CBD               |        | Total Cannabinoids |  |
| Analyte   | LOQ   | Measurement Uncertainty | Result | Result             |  |
|           | %     | %                       | %      | mg/g               |  |
| THCa      | 0.336 | 0.717                   | 21.1   | 211                |  |
| Δ9-THC    | 0.336 | 0.0151                  | 0.445  | 4.45               |  |
| Δ8-THC    | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| THCVa     | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| THCV      | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBDa      | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBD       | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBDVa     | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBDV      | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBN       | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBGa      | 0.336 | 0.0263                  | 0.773  | 7.73               |  |
| CBG       | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBCa      | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| CBC       | 0.336 | 0.00                    | <LOQ   | <LOQ               |  |
| Total     |       |                         | 22.3   | 223                |  |

Date Prepared: 06/29/2026, Date Tested: 06/30/2026  
1 Unit = 0.000g  
Total THC = %Δ9-THC + (%THCa x 0.877)  
Total CBD = %CBD + (%CBDa x 0.877)  
Total Cannabinoids = Sum of all compounds.  
Refer to Cannabis Technical Authority: Standards for Sampling and Testing Cannabis and Hemp Products Section VII for full cannabinoid names.  
Analysis performed as described in SOP-0169, Analyst: ATM  
Mass Analyzed (g): 0.2384

|                                                                                                                         |                                                                                                                                       |                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 9.280%<br>Complete<br>Moisture Content<br>Analyst: LAH<br>Date Tested/ Prepared: 06/29/2026<br>Mass Analyzed (g): 0.256 | 0.623 aw<br>Pass<br>MU: 0.00386322<br>Water Activity<br>Analyst: LAH<br>Date Tested/ Prepared: 06/29/2026<br>Mass Analyzed (g): 0.256 | Pass<br>Foreign Matter<br>Analyst: LAH<br>Date Tested/ Prepared: 06/29/2026<br>Mass Analyzed (g): 13.4 |
|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|



Zachary D. Remillard  
Zachary Remillard  
Director of Chemistry  
07/02/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This report has been prepared by True North Analytical (TNA) in accordance with the most recent requirements of ISO/IEC 17025:2017, Minnesota Statutes 2024 Chapter 342 and 9810, and Minnesota Office of Cannabis Management (OCM) Cannabis Technical Authority (CTA). The measurements referenced herein were performed in accordance with valid methods and quality management system as required by Minnesota State Law. Measurement uncertainty estimates were agreed upon by all parties during review of requests, tenders, and contract procedure, and are available upon request. The decision rule was not applied to the given pass/fail tolerance limits that are specified by OCM CTA policies. This report shall not be reproduced except in full, without the written consent of TNA. The results relate solely to the item(s) tested as received and are valid only under the conditions in which the testing was performed. No conclusions should be drawn regarding any other items, lots, or conditions not specifically included in this report. This Certificate shall not be reproduced except in full, without the written approval of TNA. TNA did not perform the sampling for the items tested; Customers are fully responsible for adhering to CTA Sampling requirements. Not all potential/existing hazards were tested.



True North Analytical  
2656 Patton Road  
Roseville, MN 55113

(612) 497-9626  
<https://truenorthanalytical.com>  
Lic# TF-L25-000014-02-TST

Regulatory Compliance Testing

2 of 4

## Item Name: Dried Flower-XX | Blue Dream

METRC Sample: 1A4140300002199000000240; METRC Batch: 1A4140300002199000000227; METRC Manifest #: 0000390113

Initial Test


|                              |                        |                                |
|------------------------------|------------------------|--------------------------------|
| Sample ID: 2606TNA0170.0554  | Produced: 03/13/2026   | Client                         |
| Strain: Blue Dream           | Collected:             | Dizgo Collective               |
| Matrix: Plant                | Received: 06/19/2026   | Lic. # MICRO-L25-000366-01-AUC |
| Type: Bulk Flower            | Completed: 07/02/2026  | 1512 30th St NW                |
| Sample Size: 39.98 g; Batch: | Batch#: FG-20260313-01 | Faribault, MN 55021            |

## Terpenes

| Analyte             | LOQ    | Measurement Uncertainty | Result | Result |
|---------------------|--------|-------------------------|--------|--------|
|                     | %      | %                       | %      | mg/g   |
| β-Myrcene           | 0.0205 | 0.0321                  | 0.554  | 5.54   |
| β-Caryophyllene     | 0.0205 | 0.0124                  | 0.214  | 2.14   |
| Linalool            | 0.0205 | 0.00889                 | 0.153  | 1.53   |
| α-Pinene            | 0.0205 | 0.00540                 | 0.0930 | 0.930  |
| δ-Limonene          | 0.0205 | 0.00487                 | 0.0840 | 0.840  |
| (-)-α-Bisabolol     | 0.0205 | 0.00473                 | 0.0815 | 0.815  |
| α-Humulene          | 0.0205 | 0.00466                 | 0.0803 | 0.803  |
| β-Pinene            | 0.0205 | 0.00361                 | 0.0622 | 0.622  |
| Ocimene             | 0.0205 | 0.00206                 | 0.0355 | 0.355  |
| Nerolidol           | 0.0205 | 0.00162                 | 0.0279 | 0.279  |
| Guaial              | 0.0205 | 0.00161                 | 0.0277 | 0.277  |
| Caryophyllene Oxide | 0.0205 | 0.00122                 | 0.0210 | 0.210  |
| 3-Carene            | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| α-Terpinene         | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| Camphene            | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| Eucalyptol          | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| γ-Terpinene         | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| Geraniol            | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| (-)-Isopulegol      | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| p-Cymene            | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| Terpinolene         | 0.0205 | 0.00                    | <LOQ   | <LOQ   |
| Total               |        |                         | 1.434  | 14.341 |

Date Prepared: 06/29/2026, Date Tested: 06/30/2026  
Analysis performed as described in SOP-0170.  
Analyst: ATM  
Mass Analyzed (g): 0.2384

## Primary Aromas



Zachary Remillard  
Director of Chemistry  
07/02/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This report has been prepared by True North Analytical (TNA) in accordance with the most recent requirements of ISO/IEC 17025:2017, Minnesota Statutes 2024 Chapter 342 and 9810, and Minnesota Office of Cannabis Management (OCM) Cannabis Technical Authority (CTA). The measurements referenced herein were performed in accordance with valid methods and quality management system as required by Minnesota State Law. Measurement uncertainty estimates were agreed upon by all parties during review of requests, tenders, and contract procedure, and are available upon request. The decision rule was not applied to the given pass/fail tolerance limits that are specified by OCM CTA policies. This report shall not be reproduced except in full, without the written consent of TNA. The results relate solely to the item(s) tested as received and are valid only under the conditions in which the testing was performed. No conclusions should be drawn regarding any other items, lots, or conditions not specifically included in this report. This Certificate shall not be reproduced except in full, without the written approval of TNA. TNA did not perform the sampling for the items tested; Customers are fully responsible for adhering to CTA Sampling requirements. Not all potential/existing hazards were tested.



True North Analytical  
2656 Patton Road  
Roseville, MN 55113

(612) 497-9626  
https://truenorthanalytical.com  
Lic# TF-L25-000014-02-TST

## Item Name: Dried Flower-XX | Blue Dream

METRC Sample: 1A4140300002199000000240; METRC Batch: 1A4140300002199000000227; METRC Manifest #: 0000390113

Initial Test

Sample ID: 2606TNA0170.0554 Produced: 03/13/2026 Client  
Strain: Blue Dream Collected: Dizgo Collective  
Matrix: Plant Received: 06/19/2026 Lic. # MICRO-L25-000366-01-AUC  
Type: Bulk Flower Completed: 07/02/2026 1512 30th St NW  
Sample Size: 39.98 g; Batch: Batch#: FG-20260313-01 Faribault, MN 55021

### Pesticides

Pass

| Test Type               | LOQ    | Limit | Measurement<br>Uncertainty | Mass | Status | Test Type       | LOQ    | Limit | Measurement<br>Uncertainty | Mass | Status |
|-------------------------|--------|-------|----------------------------|------|--------|-----------------|--------|-------|----------------------------|------|--------|
|                         | PPM    | PPM   | PPM                        | PPM  |        |                 | PPM    | PPM   | PPM                        | PPM  |        |
| Abamectin               | 0.400  | 0.5   | 0.000235                   | <LOQ | Pass   | Fludioxonil     | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Acephate                | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   | Hexythiazox     | 0.400  | 1     | 0.00                       | <LOQ | Pass   |
| Acequinocyl             | 1.00   | 2     | 0.00                       | <LOQ | Pass   | Imazalil        | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Acetamiprid             | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Imidacloprid    | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Azadirachtin            | 0.400  | 1     | 0.00                       | <LOQ | Pass   | Kresoxim        | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Azoxystrobin            | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Methyl          | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Bifenazate              | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Malathion       | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Bifenthrin              | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Metalaxyl       | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Boscalid                | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   | Methiocarb      | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Carbaryl                | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Methomyl        | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Chlorantraniliprole     | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Myclobutanil    | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Chlorfenapyr            | 0.400  | 1     | 0.00                       | <LOQ | Pass   | Naled           | 0.400  | 0.5   | 0.00                       | <LOQ | Pass   |
| Chlormequat<br>chloride | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Oxamyl          | 0.400  | 1     | 0.00                       | <LOQ | Pass   |
| Chlorpyrifos            | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Paclobutrazol   | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Clofentazine            | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Permethrins     | 0.200  | 0.3   | 0.00                       | <LOQ | Pass   |
| Cyfluthrin              | 0.400  | 1     | 0.00455                    | <LOQ | Pass   | Phosmet         | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Cypermethrin            | 0.400  | 1     | 0.00                       | <LOQ | Pass   | Piperonyl       | 1.00   | 2     | 0.00                       | <LOQ | Pass   |
| Daminozide              | 0.400  | 1     | 0.00                       | <LOQ | Pass   | Butoxide        |        |       |                            |      |        |
| Diazinon                | 0.0400 | 0.2   | 0.00                       | <LOQ | Pass   | Prallethrin     | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Dichlorvos              | 0.0800 | 0.1   | 0.00                       | <LOQ | Pass   | Propiconazole   | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
| Dimethoate              | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Propoxur        | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Etofenprox              | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   | Pyrethrins      | 0.400  | 1     | 0.00285                    | <LOQ | Pass   |
| Etoxazole               | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Pyridaben       | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Fenoxycarb              | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   | Spinosad        | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Fenpyroximate           | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   | Spiromesifen    | 0.100  | 0.2   | 0.00                       | <LOQ | Pass   |
| Fipronil                | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   | Spirotetramat   | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
| Fonicamid               | 0.400  | 1     | 0.00                       | <LOQ | Pass   | Tebuconazole    | 0.200  | 0.4   | 0.00                       | <LOQ | Pass   |
|                         |        |       |                            |      |        | Thiamethoxam    | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |
|                         |        |       |                            |      |        | Trifloxystrobin | 0.0800 | 0.2   | 0.00                       | <LOQ | Pass   |

Date Prepared: 07/01/2026, Date Tested: 07/01/2026  
Analysis performed as described in SOP-0171.  
Analyst: AJW  
Mass Analyzed (g): 0.6179

### Mycotoxins

Pass

| Test Type        | LOQ   | Limit | Measurement<br>Uncertainty | Mass  | Status |
|------------------|-------|-------|----------------------------|-------|--------|
|                  | PPB   | PPB   | PPB                        | PPB   |        |
| B1               | 0.100 | 5     | 0.00                       | <LOQ  | Pass   |
| B2               | 0.200 | 20    | 0.00                       | <LOQ  | Pass   |
| G1               | 0.200 | 20    | 0.00                       | <LOQ  | Pass   |
| G2               | 0.200 | 20    | 0.0214                     | 0.596 | Pass   |
| Ochratoxin A     | 0.200 | 20    | 0.00                       | <LOQ  | Pass   |
| Total Aflatoxins |       | 20    |                            | 0.596 | Pass   |
| Total Mycotoxins |       | 20    |                            | 0.596 | Pass   |

Date Prepared: 07/01/2026, Date Tested: 07/01/2026  
Analysis performed as described in SOP-0171.  
Analyst: AJW  
Mass Analyzed (g): 0.6179



*Zachary D. Remillard*  
Zachary Remillard  
Director of Chemistry  
07/02/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This report has been prepared by True North Analytical (TNA) in accordance with the most recent requirements of ISO/IEC 17025:2017, Minnesota Statutes 2024 Chapter 342 and 9810, and Minnesota Office of Cannabis Management (OCM) Cannabis Technical Authority (CTA). The measurements referenced herein were performed in accordance with valid methods and quality management system as required by Minnesota State Law. Measurement uncertainty estimates were agreed upon by all parties during review of requests, tenders, and contract procedure, and are available upon request. The decision rule was not applied to the given pass/fail tolerance limits that are specified by OCM CTA policies. This report shall not be reproduced except in full, without the written consent of TNA. The results relate solely to the item(s) tested as received and are valid only under the conditions in which the testing was performed. No conclusions should be drawn regarding any other items, lots, or conditions not specifically included in this report. This Certificate shall not be reproduced except in full, without the written approval of TNA. TNA did not perform the sampling for the items tested; Customers are fully responsible for adhering to CTA Sampling requirements. Not all potential/existing hazards were tested.



True North Analytical  
2656 Patton Road  
Roseville, MN 55113

(612) 497-9626  
https://truenorthanalytical.com  
Lic# TF-L25-000014-02-TST

Regulatory Compliance Testing

4 of 4

## Item Name: Dried Flower-XX | Blue Dream

METRC Sample: 1A4140300002199000000240; METRC Batch: 1A4140300002199000000227; METRC Manifest #: 0000390113

Initial Test

|                              |                        |                                |
|------------------------------|------------------------|--------------------------------|
| Sample ID: 2606TNA0170.0554  | Produced: 03/13/2026   | Client                         |
| Strain: Blue Dream           | Collected:             | Dizgo Collective               |
| Matrix: Plant                | Received: 06/19/2026   | Lic. # MICRO-L25-000366-01-AUC |
| Type: Bulk Flower            | Completed: 07/02/2026  | 1512 30th St NW                |
| Sample Size: 39.98 g; Batch: | Batch#: FG-20260313-01 | Faribault, MN 55021            |

## Heavy Metals

Pass

| Test Type | LOQ    | Limit | Measurement Uncertainty | Mass | Status |
|-----------|--------|-------|-------------------------|------|--------|
|           | PPM    | PPM   | PPM                     | PPM  |        |
| Arsenic   | 0.100  | 0.2   | 0.000556                | <LOQ | Pass   |
| Cadmium   | 0.100  | 0.2   | 0.000301                | <LOQ | Pass   |
| Lead      | 0.100  | 0.5   | 0.00127                 | <LOQ | Pass   |
| Mercury   | 0.0500 | 0.1   | 0.000160                | <LOQ | Pass   |

Date Prepared: 06/30/2026, Date Tested: 06/30/2026  
Analysis performed as described in SOP-0172.  
Analyst: AJW  
Mass Analyzed (g): 0.53

## Microbials

Pass

| Test Type           | Analysis By | Limit  | Measurement Uncertainty | Mass         | Status |
|---------------------|-------------|--------|-------------------------|--------------|--------|
|                     |             | CFU/g  |                         | CFU/g        |        |
| Aerobic Bacteria    | PCR         | 100000 | 7.60                    | 14800        | Pass   |
| Aspergillus SPP     | PCR         | 0      |                         | Not Detected | Pass   |
| Enterobacteriaceae  | Petrifilm   | 1000   | 4.10                    | ND           | Pass   |
| Salmonella          | PCR         | 0      |                         | Not Detected | Pass   |
| Shiga Toxin E. Coli | PCR         | 0      |                         | Not Detected | Pass   |
| Yeast & Mold        | PCR         | 100000 | 7.40                    | 15200        | Pass   |

Date Prepared: 06/19/2026, Date Tested: 07/01/2026  
Aspergillus spp. includes Aspergillus niger, Aspergillus flavus, Aspergillus fumigatus, Aspergillus terreus. Procedures followed SOP-0166, SOP-0167, SOP-0168, and SOP-0175. Measurement of Uncertainty is a percentage of the reported value.  
Analyst: NICOLE GROTH  
Analytical Batch ID: NPL-062926-D, SSAF-063026-A, PCR-070126-B, NP-070126-A, PCR-070126-C  
Nonpathogenic Weight (g): 19.81, Salmonella and STEC Weight (g): 9.5g, Aspergillus Weight (g): 9.5



Zachary Remillard  
Director of Chemistry  
07/02/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This report has been prepared by True North Analytical (TNA) in accordance with the most recent requirements of ISO/IEC 17025:2017, Minnesota Statutes 2024 Chapter 342 and 9810, and Minnesota Office of Cannabis Management (OCM) Cannabis Technical Authority (CTA). The measurements referenced herein were performed in accordance with valid methods and quality management system as required by Minnesota State Law. Measurement uncertainty estimates were agreed upon by all parties during review of requests, tenders, and contract procedure, and are available upon request. The decision rule was not applied to the given pass/fail tolerance limits that are specified by OCM CTA policies. This report shall not be reproduced except in full, without the written consent of TNA. The results relate solely to the item(s) tested as received and are valid only under the conditions in which the testing was performed. No conclusions should be drawn regarding any other items, lots, or conditions not specifically included in this report. This Certificate shall not be reproduced except in full, without the written approval of TNA. TNA did not perform the sampling for the items tested; Customers are fully responsible for adhering to CTA Sampling requirements. Not all potential/existing hazards were tested.